



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/099,983	03/19/2002	Yue-Chuan Chu	003493.00517	5515

28317 7590 06/26/2006

BANNER & WITCOFF LTD.,  
ATTORNEYS FOR CLIENT NO. 003493  
1001 G STREET, N.W.  
ELEVENTH STREET  
WASHINGTON, DC 20001-4597

EXAMINER

JAGANNATHAN, MELANIE

ART UNIT	PAPER NUMBER
----------	--------------

2616

DATE MAILED: 06/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)	
	10/099,983	CHU ET AL.	
	Examiner	Art Unit	
	Melanie Jagannathan	2616	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 April 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

**DETAILED ACTION**

- Examiner has considered Amendment after Non-Final mailed 4/6/2006. Due to Applicant's statement establishing common ownership of reference Kung et al., a new grounds of rejection is herewith submitted.
- Claims 1-31 are pending.

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Summers et al. US 6,961,416 (hereinafter Summers) in view of Aravamudan et al. US 6,584,076.

Regarding claim 1, the claimed method for establishing a VOIP conference call by joining a first VOIP station in a communication between a plurality of communication stations, wherein at least one of the plurality of communication stations is a second VOIP station in a private network and first VOIP station is in the private network is disclosed by Internet-enabled system providing audio, video or data conferencing for IP callers (Figure 1, elements 16b) within one or more IP networks (element 14). See column 3, lines 34-61. Summers discloses IP caller joining caller to a scheduled conference (Figure 7). See column 26-65.

Regarding claims 1, 4 and 20, the claimed receiving an indication, being a switch signal, from the first VOIP station for joining a VOIP call between the plurality of communication stations is disclosed by IP user (element 16b) enters its IP address and connects to corresponding VoIP node in network interface chassis.

The claimed managing data packet transmission between first VOIP station and one of the plurality of communication stations is disclosed by network interface chassis (Figure 3, element 28) including voice nodes and VoIP node including voice traffic cards (element 68) and VoIP cards (element 70) and conference bridge node (element 64) for traffic from IP users and PSTN users participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 8, lines 36-52.

Summers does not disclose the claimed establishing an RTP voice path with the first VOIP station for joining a VOIP call between the plurality of communication stations. Aravamudan et al. discloses devices which can be IP telephones (Figure 1, element 103) interfaced to device servers (element 101) and discloses a conference call on which there are three or more device servers. When a user on device server requests to be added to conference call, call coordinator (element 105) selects a conference bridge to connect device server to other device servers so newly added device server can transmit media in the form of RTP/UDP packets over logical links (element 119) where RTP/UDP protocol is used. See column 4, lines 30-36, column 6, lines 25-34, column 7, lines 25-29, lines 43-55. At the time the invention was made it would have been obvious to modify Summers to connect user to conference over logical links using RTP/UDP protocol as in Aravamudan et al. One of ordinary skill in the art would be motivated to do this for transmission of media packets among the different devices.

Regarding claim 2, the claimed at least one of the plurality of communication stations is a PSTN phone is disclosed by PSTN callers (Figure 1, elements 16a) participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 7, lines 12-17, column 8, lines 36-52.

Regarding claim 3, the claimed at least one of the plurality of communication stations is a VOIP phone is disclosed by IP callers (Figure 1, elements 16b).

Regarding claims 5-6, 21-22, the claimed indication to join a VOIP call between a plurality of communication stations comprising a code number identifying a connection

Art Unit: 2616

in private network is disclosed by caller may need to provide a personal entrance code and then caller is joined in conference. See column 11, lines 26-40, lines 62-67.

Regarding claims 7, 23, the claimed further comprising informing the plurality of communication stations the status of the first VOIP is disclosed by in process of joining conference, caller further provides an associated caller identifier to allow the name or any other information for itself to be conveyed to one or more other callers that are already joined or will later join the conference. See column 11, lines 52-56.

Regarding claims 8, 10, the claimed managing data packet transmissions comprises mixing data packets from first VOIP station and at least one of the plurality of communication stations is disclosed by voice signals received at voice cards of IP callers and PSTN callers are placed onto TDM bus in corresponding timeslot. See column 11, lines 66-67, column 12, lines 1-13.

Regarding claims 9, 11, the claimed managing data packet transmissions further comprises sending the mixed data packets to at least one of the plurality of communication stations including first VOIP station is disclosed by TDM bus is communicated to conference card and conference traffic from all or selected other callers are placed on TDM bus for communication to voice and VoIP cards and then to callers. See column 12, lines 1-13.

Regarding claim 16, the claimed establishing a VOIP conference call by joining a first VOIP station in a communication between a plurality of communication stations, wherein at least one of the plurality of communication stations is a second VOIP station in a private network and first VOIP station is in the private network is disclosed by

Art Unit: 2616

Internet-enabled system providing audio, video or data conferencing for IP callers (Figure 1, elements 16b) within one or more IP networks (element 14). See column 3, lines 34-61. Summers discloses IP caller joining caller to a scheduled conference (Figure 7). See column 26-65.

The claimed device including a receiver for receiving an indication from the first VOIP station for joining a VOIP call between the plurality of communication stations is disclosed by IP user (element 16b) enters its IP address and connects to corresponding VoIP node in network interface chassis.

The claimed apparatus for setting up voice path with the first VOIP station and managing data packet transmission between first VOIP station and plurality of communication stations is disclosed by network interface chassis (Figure 3, element 28) including voice nodes and VoIP node including voice traffic cards (element 68) and VoIP cards (element 70) and conference bridge node (element 64) for traffic from IP users and PSTN users participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 8, lines 36-52.

Summers discloses voice signals received at voice cards of IP callers and PSTN callers are placed onto TDM bus in corresponding timeslot. TDM bus is communicated to conference card and conference traffic from all or selected other callers are placed on TDM bus for communication to voice and VoIP cards and then to callers. See column 11, lines 66-67, column 12, lines 1-13. However, Summers does not disclose RTP mixer.

Aravamudan et al. discloses conference bridges (Figure 1, element 107) performing conferencing functions including media mixing of media transmitted and received devices over logical links (element 119) using RTP/UDP protocol. See column 6, lines 9-10, lines 25-34. At the time the invention was made it would have been obvious to a person of ordinary skill in the art to modify Summers with media mixing capability of conference bridge of Aravamudan et al. One of ordinary skill in the art would be motivated to do this for transmission of media packets among the different devices.

Regarding claim 17, the claimed status monitor for informing a VOIP call agent of the status of the first VOIP station is disclosed by in process of joining conference, caller further provides an associated caller identifier to allow the name or any other information for itself to be conveyed to one or more other callers that are already joined or will later join the conference. See column 11, lines 52-56.

Regarding claim 18, the claimed at least one of the plurality of communication stations is a PSTN phone is disclosed by PSTN callers (Figure 1, elements 16a) participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 7, lines 12-17, column 8, lines 36-52.

Regarding claim 19, the claimed at least one of the plurality of communication stations is a VOIP phone is disclosed by IP callers (Figure 1, elements 16b).

Regarding claims 24, 26, the claimed managing data packet transmissions comprises mixing data packets from first VOIP station and at least one of the plurality of communication stations is disclosed by network interface chassis (Figure 3, element 28)



including voice nodes and VoIP node including voice traffic cards (element 68) and VoIP cards (element 70) and conference bridge node (element 64) for traffic from IP users and PSTN users participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 8, lines 36-52.

Summers discloses voice signals received at voice cards of IP callers and PSTN callers are placed onto TDM bus in corresponding timeslot. TDM bus is communicated to conference card and conference traffic from all or selected other callers are placed on TDM bus for communication to voice and VoIP cards and then to callers. See column 11, lines 66-67, column 12, lines 1-13.

Regarding claims 25, 27, the claimed managing data packet transmissions further comprises sending the mixed data packets to at least one of the plurality of communication stations including first VOIP station is disclosed by network interface chassis (Figure 3, element 28) including voice nodes and VoIP node including voice traffic cards (element 68) and VoIP cards (element 70) and conference bridge node (element 64) for traffic from IP users and PSTN users participating in conference. See column 3, lines 34-61, column 6, lines 1-46, column 8, lines 36-52.

Summers discloses voice signals received at voice cards of IP callers and PSTN callers are placed onto TDM bus in corresponding timeslot. TDM bus is communicated to conference card and conference traffic from all or selected other callers are placed on TDM bus for communication to voice and VoIP cards and then to callers. See column 11, lines 66-67, column 12, lines 1-13.

3. Claims 12-15, 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Summers in view of Aravamudan in view of Cannon et al. US 6,269,159.

Regarding claims 12, 28, Summers discloses the claimed VoIP station by IP callers (Figure 1, element 16b). Summers and Aravamudan et al. combined disclose all of the limitations of the claim except for the claimed indicating a busy status on the claimed VoIP station. Cannon et al. discloses a three-way conferencing method and system where a calling party will not be allowed to conference into existing telephone call and party is provided with a busy signal. See column 6, lines 54-58. At the time the invention was made it would have been obvious to modify system of Summers with IP caller by providing a busy signal as in Cannon et al. One of ordinary skill in the art would be motivated to do this to indicate to status of parties in call.

Regarding claims 13-15, 29-31, Summers discloses the claimed VoIP station by IP callers (Figure 1, element 16b). Summers and Aravamudan et al. combined disclose all of the limitations of the claim except for the claimed receiving an on-hook signal from first VOIP station and from at least one of the plurality of communication stations and call is disconnected. Cannon et al. discloses receiving an indication from a third party wishing to join a call between two existing parties, the indication being call-related information. See column 3, lines 1-20. Additionally, Cannon et al. discloses a three-way conferencing method and system where a calling party will not be allowed to conference into existing telephone call and party is provided with a busy signal as in other party is on-hook. See column 6, lines 54-58. At the time the invention was made it would have been obvious to modify Summers to include the initiation of on-hook

Art Unit: 2616

signal or busy signal as in Cannon. One of ordinary skill in the art would be motivated to do so to indicate status of parties in call.

### ***Response to Arguments***

4. Applicant's arguments with respect to claims 1-31 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Summers et al. US 6,961,416 disclose Internet-enabled conferencing system and method accommodating PSTN and IP traffic.
- Laursen et al. US 6,847,618 disclose distributed conference bridge processing.
- Maggenti et al. US 6,965,767 disclose communication device for entering and exiting a net within a group communication network.
- Foti US 6,785,246 discloses multi-party conferencing method.
- Isaka US 6,654,455 discloses IP conference telephone system compatible with IP-PBX systems.
- Mandalia et al. US 6,654,456 disclose multi-service communication system and method.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Jagannathan whose telephone number is 571-


Art Unit: 2616

272-3163. The examiner can normally be reached on Monday-Friday from 8:00 a.m.-4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MJ   
6/18/06

  
CHI PHAM  
SUPERVISORY PATENT EXAMINER 6/21/06